

SAFETY DATA SHEET

Issue Date 29-May-2015	Revision Date 14-May-2019	Version 3
	1. IDENTIFICATION	
Product identifier		
Product Name	NPT HO WHITE M3	
Other means of identification		
Product Code	M39256	
Synonyms	M3925601, M3925603, M3925604, M3925605, M3925607, M3925610, M3925612, M3925613, M3925614, M3925615, M3925619, M3925620, M3925621, M3925622, M3925623, M3925655	M3925616, M3925617,
Recommended use of the chen	nical and restrictions on use	
Recommended Use	Textile ink. Restricted to professional users.	
Uses advised against	No information available	
Details of the supplier of the sa	afety data sheet	
Manufacturer Address		
Rutland Group		
10021 Rodney Street		
Pineville, NC 28134		
Tel: 704-553-0046		
E-mail address	product_safety@rutlandinc.com	
Emergency telephone number		
Emergency Telephone	INFOTRAC 1-352-323-3500	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable

Unknown acute toxicity

64.7% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	15 - 40	*
TITANIUM DIOXIDE	13463-67-7	10 - 30	*
CALCIUM CARBONATE	1317-65-3	7 - 13	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F
Incompatible materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³ respirable particulate matter	-	-
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale
CALCIUM CARBONATE 1317-65-3	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		TWA: 3 mg/m ³		
CALCIUM CARBONATE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
1317-65-3		TWA: 3 mg/m ³		
		STEL: 20 mg/m ³		

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER	TWA: 1 mg/m ³	-	TWA: 1 mg/m ³	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		STEL: 20 mg/m ³		STEL: 20 mg/m ³
CALCIUM CARBONATE	-	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
1317-65-3		STEL: 20 mg/m ³		STEL: 20 mg/m ³

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-	-	-
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). if a risk assessment indicates this is necessary.

Skin and body protection	Wear protective gloves and protective clothing. if a risk assessment indicates this is necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

liquid

- injenear enare	ngana
Appearance	viscous
Color	White to off-white
Property	<u>Values</u>
рН	7
Melting point/freezing point	No information ava
Boiling point / boiling range	232 °C / 450 °F
Flash point	No information ava
Evaporation rate	No information ava
Flammability (solid, gas)	No information ava
Flammability Limit in Air	
Upper flammability limit:	No information ava
Lower flammability limit:	No information ava
Vapor pressure	No information ava
Vapor density	No information ava
Specific Gravity	1.25
Water solubility	Insoluble in water
Solubility in other solvents	No information ava
Partition coefficient	No information ava
Autoignition temperature	No information ava
Decomposition temperature	No information ava
Kinematic viscosity	No information ava
Dynamic viscosity	No information ava
Explosive properties	No information ava
Oxidizing properties	No information ava
Other Information	
Other Information	
Softening point	No information ava
Molecular weight	No information ava
VOC Content	50 a/l

VOC Content Density **Bulk density**

Physical state

lues information available 2 °C / 450 °F information available information available information available

information available information available information available information available 25 oluble in water information available information available

information available information available 50 g/L No information available No information available

Odor Odor threshold

Low No information available

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION Information on likely routes of exposure **Product Information** No data available Inhalation No data available. Eye contact No data available. Skin contact No data available. No data available. Ingestion Chemical Name Oral LD50 Dermal LD50 Inhalation LC50 TITANIUM DIOXIDE > 10000 mg/kg (Rat) 13463-67-7 Information on toxicological effects Symptoms No information available. Delayed and immediate effects as well as chronic effects from short and long-term exposure Sensitization No information available. Germ cell mutagenicity No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity Chemical Name ACGIH IARC NTP OSHA PVC HOMOPOLYMER Group 3 RESIN 9002-86-2 TITANIUM DIOXIDE Group 2B -Х -13463-67-7 IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Not classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present No information available. **Reproductive toxicity** STOT - single exposure No information available. STOT - repeated exposure No information available. Target Organ Effects Eyes, Lungs, Respiratory system, Skin. Aspiration hazard No information available. Numerical measures of toxicity - Product Information The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 67625 ATEmix (dermal) 5970 ATEmix (inhalation-gas) No information available ATEmix (inhalation-dust/mist) No information available **ATEmix (inhalation-vapor)** No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

65.2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and
regulations.Contaminated packagingDo not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

On Inventory (Yes/No)

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Yes Yes No Yes Yes Yes
PICCS AICS	Yes Yes

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

No
No
No
No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form. The end user of this product is responsible for determining appropriate warnings based upon their processing, or during installation or use of the end article. This product contains the following Proposition 65 chemicals:

Chemical Name California Proposition 65				
TITANIUM DIOXIDE - 13463-67-7	Carcinogen			
U.S. State Dight to Know Degulations				

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
TITANIUM DIOXIDE 13463-67-7	Х	X	Х

CALCIUM CARBONATE	Х	Х	Х
1317-65-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION. INCLUDING DATE OF PREPARATION OF THE LAST F	REVISION
--	----------

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date	29-May-2	015		

14-May-2019

Issue Date Revision Date Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet