



Issue Date 14-Dec-2015

Revision Date 01-Nov-2018

Version 8

1. IDENTIFICATION

<u>Product identifier</u> Product Name	PREMIER WHITE
<u>Other means of identification</u> Product Code Synonyms	EL9065 EL9065XX; XX=01-99
Recommended use of the chemical	and restrictions on use
Recommended Use	Textile ink. Restricted to professional users.
Uses advised against	No information available
Details of the supplier of the safety Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046	<u>data sheet</u>
E-mail address	product_safety@rutlandinc.com

Emergency telephone number Emergency Telephone

INFOTRAC 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal Ca	ategory	y 5
----------------------------	---------	-----

Label elements

Emergency Overview Warning Hazard statements May be harmful in contact with skin Appearance viscous Physical state liquid Odor Low **Precautionary Statements - Prevention** Wash hands thoroughly after handling IF ON SKIN: Gently wash with plenty of soap and water

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin

Unknown acute toxicity

59.7% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
TITANIUM DIOXIDE	13463-67-7	15 - 40	*
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
KAOLIN	1332-58-7	3 - 7	*
DIPHENYLOXIDE-4,4'-DI-SULFOHYDRAZIDE	80-51-3	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F
Incompatible materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	_	(vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ CIB 63 fine
			TWA: 0.3 mg/m ³ CIB 63 ultrafine,
			including engineered nanoscale
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m ³ respirable	-	-
9002-86-2	particulate matter		
KAOLIN	TWA: 2 mg/m ³ particulate matter	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	containing no asbestos and <1%	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m ³ total dust	
	particulate matter	(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
DIPHENYLOXIDE-4,4'-DI-SULFOH	TWA: 0.1 mg/m ³ inhalable	-	-
YDRAZIDE	particulate matter		
80-51-3			

NIOSH IDLH Immediately Dangerous to Life or Health

.

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		TWA: 3 mg/m ³		
PVC HOMOPOLYMER	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-
RESIN				
9002-86-2				
KAOLIN	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
1332-58-7	_	_	-	_
DIPHENYLOXIDE-4,4'-DI-S	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	-
ULFOHYDRAZIDE		Adverse reproductive effect	_	
80-51-3				

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		STEL: 20 mg/m ³		STEL: 20 mg/m ³
PVC HOMOPOLYMER	TWA: 1 mg/m ³	-	TWA: 1 mg/m ³	-
RESIN				
9002-86-2				
KAOLIN	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
1332-58-7	_	STEL: 4 mg/m ³	-	STEL: 4 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
ULFOHYDRAZIDE	-	STEL: 0.3 mg/m ³	-	STEL: 0.3 mg/m ³
80-51-3		-		_

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-	-	
KAOLIN 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³ STEL: 4 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S ULFOHYDRAZIDE 80-51-3	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous white or colored	Odor Odor threshold	Low No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values7-9No information available177 °C / 351 °FNo information availableNo information available	<u>Remarks • Method</u>	
Oxidizing properties <u>Other Information</u>	No information available		
Softening point Molecular weight VOC Content Density Bulk density	No information available No information available <50 g/L No information available No information available		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
KAOLIN 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	= 2300 mg/kg (Rat)	> 200 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical Name	ACGIH IARC NTP OSHA				
TITANIUM DIOXIDE	-	Group 2B	-	Х	
13463-67-7					
PVC HOMOPOLYMER	-	Group 3	-	-	
RESIN					
9002-86-2					

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - I	Present
-------	---------

Reproductive toxicity	No information available.	
STOT - single exposure No information av		
STOT - repeated exposure	No information available.	
Target Organ Effects	Lungs, Respiratory system.	
Aspiration hazard	No information available.	

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	34477 mg/kg
ATEmix (dermal)	3432 mg/kg
ATEmix (inhalation-gas)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available

Not classifiable as a human carcinogen

12. ECOLOGICAL INFORMATION

Ecotoxicity

69.7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

On Inventory (Yes/No)

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Yes Yes No Yes Yes Yes
AICS	Yes

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

No
No
No
No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form. The end user of this product is responsible for determining appropriate warnings based upon their processing, or during installation or use of the end article. This product contains the following Proposition 65 chemicals:

Chemical Name	California Proposition 65		
TITANIUM DIOXIDE - 13463-67-7	Carcinogen		
U.S. State Dight to Know Degulations			

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
TITANIUM DIOXIDE 13463-67-7	Х	Х	Х
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-

EL9065 - PREMIER WHITE

KAOLIN 1332-58-7	Х	Х	Х
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	Х	-	-
ISOOCTYL ALCOHOL 26952-21-6	Х	Х	Х
ISOPROPYL ALCOHOL 67-63-0	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Flammability 1

<u>NFPA</u>

HMIS

Health hazards 1 Flammability 1

Health hazards 1

Instability 0 Physical hazards 0 Physical and Chemical Properties -Personal protection B

Issue Date Revision Date Revision Note SDS sections updated 2 15 14-Dec-2015 01-Nov-2018

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet