



Issue Date 27-Jul-2015

Revision Date 14-Feb-2019

Version 5

# **1. IDENTIFICATION**

Product identifier Product Name	NPT HO BLACK M3
<u>Other means of identification</u> Product Code Synonyms	M38394 M3839401, M3839403, M3839404, M3839405, M3839407, M3839408, M3839409, M3839410, M3839412, M3839413, M3839414, M3839415, M3839416, M3839417, M3839419, M3839420, M3839421, M3839422, M3839423, M3839433, M3839435, M3839455
Recommended use of the chemical Recommended Use Uses advised against Details of the supplier of the safety Manufacturer Address	Restricted to professional users. Textile ink. No information available
Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046	
E-mail address	product_safety@rutlandinc.com
Emergency telephone number Emergency Telephone	INFOTRAC 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

## **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable

Unknown acute toxicity

69.5% of the mixture has not undergone testing for acute toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	15 - 40	*
CALCIUM CARBONATE	1317-65-3	10 - 30	*
CARBON BLACK	1333-86-4	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician if necessary.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See section 12 for additional ecological information.

## Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F
Incompatible materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m <sup>3</sup> respirable	-	-
9002-86-2	particulate matter		
CALCIUM CARBONATE	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total dust	
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
CARBON BLACK	TWA: 3 mg/m <sup>3</sup> inhalable particulate	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	matter	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

.

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
CALCIUM CARBONATE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 3 mg/m <sup>3</sup>		
		STEL: 20 mg/m <sup>3</sup>		
CARBON BLACK	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4	_	_	-	_

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
CALCIUM CARBONATE	-	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		STEL: 20 mg/m <sup>3</sup>		STEL: 20 mg/m <sup>3</sup>
CARBON BLACK	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4	-	STEL: 7 mg/m <sup>3</sup>	-	STEL: 7 mg/m <sup>3</sup>

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m³	TWA: 1 mg/m <sup>3</sup>	-	-	-
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>
CARBON BLACK 1333-86-4	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	STEL: 7 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup>

### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls** 

### **Engineering Controls**

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). if a risk assessment indicates this is necessary.

Skin and body protection	Wear protective gloves and protective clothing. if a risk assessment indicates this is necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous black	Odor Odor threshold	Low No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Values7-10No information available232 °C / 450 °FNo information availableNo information available	<u>Remarks • Method</u>	
Other Information Softening point Molecular weight VOC Content Density Bulk density	No information available No information available <60 g/L No information available No information available		

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No data available

#### Chemical stability

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

## Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
CARBON BLACK	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
1333-86-4			

#### Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informati	on available		
Germ cell mutagenicity	No information available. No information available.			
	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Carcinogenicity		· · · · · · · · · · · · · · · · · · ·		
Chemical Name	ACGIH	IARC	NTP	OSHA
	-	Group 3	-	-
RESIN				
9002-86-2				
CARBON BLACK	A3	Group 2B	-	X
1333-86-4				
ACGIH (American Conf	erence of Governmental Ind	dustrial Hygienists)		
A3 - Animal Carcinogen				
IARC (International Age	ency for Research on Cance	er)		
Group 2B - Possibly Card		,		
Not classifiable as a hum				
	0	ation of the US Department of	f Labor)	
X - Present			20201)	
Reproductive toxicity	ity No information available.			
STOT - single exposure				
STOT - repeated exposu				
Target Organ Effects				
Aspiration hazard				
Numerical measures of t	oxicity - Product Inform	ation		

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	97398
ATEmix (dermal)	5818
ATEmix (inhalation-gas)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

# Persistence and degradability No information available.

#### **Bioaccumulation** No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

#### On Inventory (Yes/No)

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Yes Yes Yes Yes Yes Yes
AICS	Yes

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### California Proposition 65

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form. The end user of this product is responsible for determining appropriate warnings based upon their processing, or during installation or use of the end article. This product contains the following Proposition 65 chemicals:

Chemical Name	California Proposition 65		
CARBON BLACK - 1333-86-4	Carcinogen		

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
CALCIUM CARBONATE 1317-65-3	Х	Х	Х

CARBON BLACK	Х	Х	Х
1333-86-4			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION	INCLUDING DATE OF PREPARATION OF THE I	AST REVISION

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date	27-Jul-201	5		

14-Feb-2019

Issue Date Revision Date Revision Note SDS sections updated 9 15

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet