

SAFETY DATA SHEET

Issue Date 27-Jul-2015

Revision Date 18-Dec-2017

Version 1

| | 1. IDENTIFICATION | | |
|--|---|--|--|
| <u>Product identifier</u> Product Name | EF ULTRASOFT H.S.GOLDEN YELLOW | | |
| <u>Other means of identification</u> Product Code Synonyms | PLUE2041 PLUE204101, PLUE204103, PLUE204104, PLUE204105, PLUE204107, PLUE204108, PLUE204109, PLUE204110, PLUE204112, PLUE204113, PLUE204114, PLUE204115, PLUE204116, PLUE204117, PLUE204119, PLUE204120, PLUE204121, PLUE204122, PLUE204123, PLUE204133, PLUE204135, PLUE204155 | | |
| Recommended use of the chemica Recommended Use Uses advised against | <u>Il and restrictions on use</u> Textile ink. Restricted to professional users. No information available | | |
| Details of the supplier of the safety data sheet Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046 | | | |

E-mail address

product_safety@rutlandinc.com

Emergency telephone number Emergency Telephone

INFOTRAC 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

<u>Hazards not otherwise classified (HNOC)</u> Not applicable

Other Information

Not applicable

Unknown acute toxicity

67.6% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------|------------|----------|--------------|
| PVC HOMOPOLYMER RESIN | 9002-86-2 | 15 - 40 | * |
| CALCIUM CARBONATE | 1317-65-3 | 10 - 30 | * |
| TITANIUM DIOXIDE | 13463-67-7 | 10 - 30 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. | |
|--|--|--|
| Skin contact | Wash skin with soap and water. | |
| Inhalation | Remove to fresh air. | |
| Ingestion | Never give anything by mouth to an unconscious person. Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician if necessary. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | No information available. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. | |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. | |
|-------------------------------------|--|--|
| Conditions for safe storage, includ | ing any incompatibilities | |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F | |
| Incompatible materials | None known based on information supplied. | |

.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|-------------------------------------|--|--|
| PVC HOMOPOLYMER RESIN | TWA: 1 mg/m ³ respirable | - | - |
| 9002-86-2 | particulate matter | | |
| CALCIUM CARBONATE | - | TWA: 15 mg/m ³ total dust | TWA: 10 mg/m ³ total dust |
| 1317-65-3 | | TWA: 5 mg/m ³ respirable fraction | TWA: 5 mg/m ³ respirable dust |
| | | (vacated) TWA: 15 mg/m ³ total dust | |
| | | (vacated) TWA: 5 mg/m ³ respirable | |
| | | fraction | |
| TITANIUM DIOXIDE | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | - | (vacated) TWA: 10 mg/m ³ total dust | - |

NIOSH IDLH Immediately Dangerous to Life or Health

| Chemical Name | Alberta OEL | British Columbia OEL | Manitoba OEL | New Brunswick OEL |
|-------------------|---------------------------|----------------------------|---------------------------|---------------------------|
| PVC HOMOPOLYMER | - | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | - |
| RESIN | | | | |
| 9002-86-2 | | | | |
| CALCIUM CARBONATE | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | - | TWA: 10 mg/m ³ |
| 1317-65-3 | | TWA: 3 mg/m ³ | | |
| | | STEL: 20 mg/m ³ | | |
| TITANIUM DIOXIDE | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | - | TWA: 3 mg/m ³ | - | |

| Chemical Name | Newfoundland OEL | Northwest Territories OEL | Nova Scotia OEL | Nunavut OEL |
|-------------------|---------------------------|----------------------------|---------------------------|----------------------------|
| PVC HOMOPOLYMER | TWA: 1 mg/m ³ | - | TWA: 1 mg/m ³ | - |
| RESIN | | | | |
| 9002-86-2 | | | | |
| CALCIUM CARBONATE | - | TWA: 10 mg/m ³ | - | TWA: 10 mg/m ³ |
| 1317-65-3 | | STEL: 20 mg/m ³ | | STEL: 20 mg/m ³ |
| TITANIUM DIOXIDE | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | _ | STEL: 20 mg/m ³ | - | STEL: 20 mg/m ³ |

| Chemical Name | Ontario OEL | Prince Edward Island OEL | Quebec OEL | Saskatchewan OEL | Yukon OEL |
|---------------------------------------|--------------------------|-----------------------------|---------------------------|---|--|
| PVC HOMOPOLYMER RESIN 9002-86-2 | TWA: 1 mg/m ³ | TWA: 1 mg/m³ | - | - | - |
| CALCIUM CARBONATE 1317-65-3 | - | - | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³ |
| TITANIUM DIOXIDE 13463-67-7 | TWA: 10 mg/m³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³ |

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

| Eye/face protection | Wear safety glasses with side shields (or goggles). if a risk assessment indicates this is necessary. |
|--------------------------|---|
| Skin and body protection | Wear protective gloves and protective clothing. if a risk assessment indicates this is necessary. |

| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
|--------------------------------|---|
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |
| | 9. PHYSICAL AND CHEMICAL PROPERTIES |

Information on basic physical and chemical properties

| Physical state Appearance Color | liquid viscous colored | Odor Odor threshold | Low No information available |
|---|--|-------------------------|---------------------------------|
| <u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point | <u>Values</u> 7 No information available 232 °C / 450 °F No information available | <u>Remarks • Method</u> | |
| Evaporation rate Flammability (solid, gas) Flammability Limit in Air | No information available No information available | | |
| Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density | No information available No information available No information available No information available | | |
| Specific Gravity Water solubility Solubility in other solvents | 1.4 Insoluble in water No information available | | |
| Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity | No information available No information available No information available No information available | | |
| Dynamic viscosity Explosive properties Oxidizing properties | No information available No information available No information available | | |
| Other Information | | | |
| Softening point Molecular weight VOC Content Density Bulk density | No information available No information available 50 g/L No information available No information available | | |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--------------------|
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|-------------|-----------------|
| TITANIUM DIOXIDE 13463-67-7 | > 10000 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No informati | on available. | | | |
|-----------------------------|--|-------------------------------|----------|------|--|
| Germ cell mutagenicity | No information available. | | | | |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. | | | | |
| Chemical Name | ACGIH | IARC | NTP | OSHA | |
| PVC HOMOPOLYMER | - | Group 3 | - | - | |
| RESIN | | | | | |
| 9002-86-2 | | | | | |
| TITANIUM DIOXIDE | - | Group 2B | - | X | |
| 13463-67-7 | | | | | |
| IARC (International Agene | 5 | er) | | | |
| Group 2B - Possibly Carcin | | | | | |
| Not classifiable as a humar | 5 | | | | |
| | ety and Health Administra | ation of the US Department of | f Labor) | | |
| X - Present | | | | | |
| Reproductive toxicity | No information available. | | | | |
| STOT - single exposure | DT - single exposure No information available. | | | | |
| STOT - repeated exposure | | | | | |
| Target Organ Effects | • • | | | | |
| Aspiration hazard | | | | | |
| - | | | | | |
| Numerical measures of tox | cicity - Product Inform | nation_ | | | |

The following values are calculated based on chapter 3.1 of the GHS document .

| ATEmix (oral) | 1226810 mg/kg |
|-------------------------------|--------------------------|
| ATEmix (dermal) | 2418 |
| ATEmix (inhalation-gas) | No information available |
| ATEmix (inhalation-dust/mist) | No information available |
| ATEmix (inhalation-vapor) | No information available |

12. ECOLOGICAL INFORMATION

Ecotoxicity

69.4 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and
regulations.Contaminated packagingDo not reuse container.

14. TRANSPORT INFORMATION

| DOT | Not regulated |
|------------|---------------|
| TDG | Not regulated |
| MEX | Not regulated |
| ICAO (air) | Not regulated |
| IATA | Not regulated |
| IMDG | Not regulated |
| RID | Not regulated |
| ADR | Not regulated |
| ADN | Not regulated |

15. REGULATORY INFORMATION

International Inventories

On Inventory (Yes/No)

| DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS | Yes Yes Yes Yes Yes Yes Yes |
|---|---|
| AICS | Yes |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |
| | |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

U.S. State Right-to-Know Regulations

| Ch | emical Name | New Jersey | Massachusetts | Pennsylvania |
|---------|------------------------------|------------|---------------|--------------|
| PVC HOM | 10POLYMER RESIN 9002-86-2 | Х | - | - |
| CALCI | UM CARBONATE 1317-65-3 | Х | Х | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| <u>NFPA</u> | Health hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
|---------------|------------------|----------------|--------------------|---------------------------------------|
| HMIS | Health hazards 1 | Flammability 1 | Physical hazards 0 | Personal protection B |
| Issue Date | 27-Jul-2015 | | | |
| Revision Date | 18-Dec-20 | 017 | | |

Revision Note SDS sections updated 9

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet