# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

# 1. Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

Product name: Screen Cleaner SC-5030

Product Code: SC-5030

• 1.2 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Image Technology 1380 N. Knollwood Circle Anaheim, CA 92801 Phone: 714-252-0160

1.3 Emergency telephone number:

Infotrac (800) 535- 5053

## 2. Hazard Identification

• 2.1 Classification of the substance or mixture

• GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Specific target organ toxicity.

Skin Irrit.

Eye Irrit.

GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

# Hazard statement(s)

Causes slight skin irritation.

Causes eye irritation of the eye and eyelids.

Fumes from this product can cause slight irritation of the nose.

When concentrated solutions of this product are swallowed, it can cause slight irritation to the mouth, esophagus and stomach.

# Precautionary statement(s)

Keep away from heat.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

NFPA rating (scale 0 – 4)



Health = 1

Fire = 2

Reactivity = 0

HMIS-rating (scale 0 - 4)



Health = 1

Fire = 2

Reactivity = 0

# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

# • HMIS Long Term Health Hazard Substances

Substances is not listed.

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT : Not applicablevPVB: Not applicable

# 3. Composition/information on ingredients

3.1 Substances

Substance/mixture : Mixture

Chemical name : Non Ionic Surfactant/ Aliphatic Ester / Terpene

## CAS number/other identifiers

Ingredient name	%	CAS number
Non Ionic Surfactant	<15%	Prop. Mixture
Aliphatic Ester	<55%	Mixture
Terpene	<30%	5989-27-5

## 4. First aid measures

#### • 4.1 Description of first aid measures

#### • General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Do not leave affected persons unattended.

• After inhalation:

Remove from contaminated area promptly. Supply fresh air. If required, provide artificial respiration. Consult physician if irritation persists.

After skin contact:

Flush exposed area with lukewarm water for 15 minutes. Consult physician if irritation persists.

• After eye contact:

Rinse opened eye for 30minutes under running water.

Remove contact lenses if worn. Consult physician if irritation persists.

After swallowing:

Do not induce vomiting. Have patient drink large amounts of water or milk. Consult a physician immediately.

4. Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irritation.

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

# 5. Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water Fog, Foam, CO2, Dry Chemical.

- For safety reasons unsuitable extinguishing agents: None
- 5.2 Advice for firefighters
- Protective equipment:

Self contained breathing apparatuses are recommended for fire fighters. Fire fighters should wear butyl rubber boots, gloves and body suit and a self-contained breathing apparatus.

• Additional information No data available

# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

## 6. Accidental release measures

# • 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment

Keep unprotected persons away

Ensure adequate ventilation

## 6.2 Environmental precautions:

Avoid release to the environment.

#### • 6.3 Methods and material for containment and cleaning up:

Contain spill with dikes of absorbent materials such as clay, sand, or vermiculite. This material is considered non-hazardous and may be disposed of as a non-hazardous refuse.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for more information on personal protection equipment

See Section 13 for disposal information

# 7. Handling and Storage

#### • 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

## Information about fire - and explosion protection:

No further relevant information available

#### • 7.2 Conditions for safe storage, including any incompatibilities

- Storage
- Requirements to be met by storerooms and receptacles:

Store in a cool location, away from high heat.

Store only in the original receptacle.

## • Information about storage in one common storage facility:

Store away from flammable substances.

Store away from food stuffs.

## • Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles

• 7.3 Specific end use(s) No further relevant information available

#### 8. Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: No required.

**DNELs** No further relevant information available.

PNECs No further relevant information available.

Additional information: The lists valid during the marketing were used as basis.

# • 8.2 Exposure controls

#### Personal protective equipment:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

# Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

#### Protection on hands:



Protective gloves

To avoid possible defatting of the skin or tissue damage, it is recommended that rubber or plastic gloves be worn.

#### Material of gloves

**Rubber or Plastic** 

The Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Not suitable are gloves made of the following materials: Leather gloves
- Eye protection:



Safety glasses

When handling this product and there is the possibility of splashing it is recommended that proper protection for the eyes by worn. This consists of goggles and/or face shield Safety glasses with side shields- always protect the eyes.

- Body protection: When handling chemicals in 55 gallon drums, it is recommended that steel toed rubber boots and a splash apron
  be worn.
- Limitation and supervision of exposure into the environment

No further relevant information available.

• Risk management measures

See Section 7 for additional information.

No further relevant information available.

# 9. Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Liquid
Color: Clear
Odor: Citrus Odor
Odor threshold: Not determined.

pH (Concentrate): 5-7
pH (1% solution): 5-7

Change in condition

Freezing point/Freezing range: Not determined.

Boiling point/Boiling range: 296F @ 760mm HG

Flash point: 124F

Flammability: Not determined.

Auto-ignition temperature: Not determined.

Specific Gravity (water =1) 0.84

Self-igniting: Not determined.

**Explosion limits:** 

Lower: Not determined.
Upper Not determined.

# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

Vapour pressure: <2

**Conversion Factor:** Not determined. **Molecular Weight:** Not determined.

Vapour density >1
Evaporation rate (water=1) <1
Solubility in / Miscibility with Insoluble

Water

Percentage of Volatiles: 6.8 Lb/g

 Partition coefficient (n-octanol/water):
 Not determined.

 Viscosity:
 Not determined.

 Dynamic:
 Not determined.

 Kinematic:
 Not determined.

**9.2 Other information** No further relevant information available.

# 10. Stability and reactivity

#### •10.1 Reactivity

No data available

#### •10.2 Chemical stability

Stable under recommended storage conditions.

#### •Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

# •10.3 Possibility of hazardous reactions:

No further relevant information available.

## •As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes:

No further relevant information available.

- •10.4 Conditions to avoid: Heat, sparks, flames.
- •10.5 Incompatible materials: Strong oxidizers.
- •10.6 Hazardous decomposition products:

Carbon Dioxide. Carbon Monoxide.

# 11. Toxicological information

#### •11.1 Information on toxicological effects

LD50 Oral - Rat - 4,400 mg/kg

Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages: Other: Hair. Inhalation: No data available LD50 Dermal - Rabbit - > 5,000 mg/kg

Inhalation: No data available LD50 Dermal - Rabbit - > 5,000 mg/kg

Primary irritant effect:

On the skin: May be slight irritation.
On the eye: Likely to be slight irritation.

•Sensitization: Not determined.

# Additional toxicological information:

No further relevant information available.

## 12. Ecological information

## •12.1 Toxicity

# Aquatic toxicity:

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.72 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates Immobilization EC50 - Daphnia magna (Water flea) - 0.36 mg/l - 48 h (OECD

# according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

Test Guideline 202)

Toxicity to bacteria EC50 - Sludge Treatment - 3.94 mg/l (OECD Test Guideline 209)

#### •12.2 Persistence and degradability

No further relevant information available.

#### •12.3 Bioaccumulative potential

No further relevant information available.

#### •12.4 Mobility in soil

No further relevant information available.

- Additional ecological information:
- •12.5 Results of PBT and vPvB assessment
- PBT: Not applicablevPvB: Not applicable
- •12.6 Other adverse effects No further relevant information available.

# 13. Disposal considerations

#### •13.1 Waste treatment methods

#### Recommendation

All hazardous materials must be solidified and disposed of in an EPA approved class one facility. When disposing of chemicals, contact local, state, and federal environmental agencies to fully understand the necessary regulations governing the disposal of chemical wastes.

- Uncleaned packaging: must be vented and thoroughly dried prior to crushing and recycling
- Recommendation: Disposal must be made according to official regulations.

# 14. Transport information

•14.1 Un-Number Not Applicable

DOT, ADR , IMDG, IATA

•14.2 Proper shipping name Compound Cleaning Liquid

DOT , ADR, IMDG, IATA

•14.3 Transport hazard class(es) Not Applicable

• Label Screen Cleaner SC-5030 •14.4 Packing group III-Minor Danger

DOT, ADR, IMDG, IATA

# 15. Regulatory information

- •15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- •SARA
- •Section 302

No chemicals in this material are subject to the reporting requirements of SARA title III, Section 302.

#### •Section 313 (Specific toxic chemical listings):

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels establish by SARA title III Section 313.

# •SARA 311/312 Hazards:

Acute Health Hazard

## • Proposition 65 (California):

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

•15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16. Other information

# Safety Data Sheet according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 02.05.2016 Revision Date 02.05.2016

#### Notice to reader

This data is furnished gratuitously independent of sale of the product and only for your investigation and independent verification while data is believed to be correct, IMAGE TECHNOLOGY shall in no event be liable or responsible for damages whatsoever, directly or indirectly, resulting from the publication or use of or reliance upon data contained herein. No warranty, either implied or expressed, of merchantability of fitness or of any nature with respect to the product or to the data is made herein. You are urged to obtain data sheets for all IMAGE TECHNOLOGY materials you buy, process, use, or distribute, and are encouraged to advise anyone working with or exposed to such materials of the information contained herein.